

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"6689319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/15 10:50
L2	1	("6699319").PN.	USPAT; USOCR	OR	OFF	2009/12/15 10:50
L3	10	( independ\$3 or independen\$3) same channel\$3 same ( respons\$3 or anwser\$3 or result\$3) with format \$3 same color\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 10:54
L4	12	( independ\$3 or independen\$3) same ( protocol\$3) same ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 same image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:05
L5	473	( independ\$3 or independen\$3) same ( protocol\$3) & ( respons \$3 or anwser\$3 or result \$3) with format\$3 & color \$3 same image\$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:08
L6	769	( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 same image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:09
L7	508	( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:09

L8	634	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 or channel \$3 or link\$3 ) & ( respons \$3 or anwser\$3 or result \$3) with format\$3 & color \$3 with image\$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:10
L9	223	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 or channel \$3 or link\$3 ) same user \$3 & ( respons\$3 or anwser\$3 or result\$3) with format\$3 & color\$3 with image\$3 with device \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:10
L10	1	("7502745").PN.	USPAT; USOCR	OR	OFF	2009/12/15 11:38
L11	1	("7454659").PN.	USPAT; USOCR	OR	OFF	2009/12/15 11:39
L12	1	("5,926775").PN.	USPAT; USOCR	OR	OFF	2009/12/15 11:51
L13	2	("20010047385").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:52
L14	2	("5764546").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:53
L15	1057	719/321	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:55
L16	2305	710/15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:55

L17	19969	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:55
L18	1059	(719/321).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56
L19	1304	(710/15).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56
L20	9607	(709/223).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56
L21	1	18 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 same image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56
L22	5	19 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 same image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56
L23	1	20 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 same image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 11:56

L24	5	19 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L25	0	18 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L26	5	19 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L27	1	20 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L28	1	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L29	0	18 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09

L30	1	19 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L31	1	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & ( respons\$3 or anwser\$3 or result\$3) with format \$3 & color\$3 with image \$3 with device\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:09
L32	0	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) same ( respons\$3 or anwser\$3 or result\$3) with format \$3 & trigger\$3 with type \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:10
L33	47	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:10
L34	2	19 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:10
L35	1	18 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:10
L36	0	18 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:11

L37	0	19 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:11
L38	2	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:11
L39	51	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 with type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:13
L40	24	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 near6 type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:15
L41	0	18 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 near6 type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:17
L42	0	19 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 near6 type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:17
L43	1	20 & ( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 near6 type\$3 same image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:17
L44	7	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) & trigger \$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18

L45	0	( independ\$3 or independen\$3) with ( protocol\$3 or communicat\$3 ) same trigger\$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18
L46	1	( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) same trigger\$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18
L47	0	18 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) same trigger\$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18
L48	0	19 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) same trigger\$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18
L49	0	20 & ( independ\$3 or independen\$3) same ( protocol\$3 or communicat\$3 ) same trigger\$3 near6 type\$3 with image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:18

12/ 15/ 2009 12:19:09 PM

C:\Program Files\USPTO\EAST\ Bin\ default.wsp